# Attachment D.3.B.1. to Appendix D

# Wisconsin Long Term Care Functional Screen

Wisconsin February 2001

# WISCONSIN LONG TERM CARE FUNCTIONAL SCREEN

The functional screen establishes that an individual meets a level of care that is reimbursable by Medicaid in a hospital, NF or ICF-MR. However, because of Wisconsin's continued commitment to supporting individuals in the least restrictive setting possible, the tool does not electronically forward any suggestion for an appropriate residency type commensurate with the severity of need. However, a copy of the functional screen including the computer generated level of care report, is sent with other enrollment material to the CMO to be placed in the members file. Verification of both financial and functional eligibility is redone annually and placed in the member's file.

Referral Date: mm/dd/vvvv

				,,,,	
			/		
Applicant Name: (Print Clearly)				Date of Birth	
Last:	First:		M.I.:	MM/DD/YYYY	
				/	
Social Security #		Gender: • M	I = Male	• F = Female	
<u>T/</u>	ARGET G	ROUP QU	<b>ESTION</b>		
This person has a condition that is apply):  Please refer to the definition	_				l that
☐ Infirmities of aging.					
☐ Physical disability.					
☐ Developmental disability	per FEDERA	L DEFINITIO	N		
☐ Developmental of	disability per	STATE defir	nition but I	NOT federal definition	
☐ Alzheimer's disease or other irreversible dementia (onset of any age).					
$\ \square$ A terminal condition with death expected within one year from the date of this screening.					

#### **RESULTS:**

Resource Center:

At least one of the above boxes above must be checked to indicate that person is within at least one of the intended "target groups" for Family Care. Continue with the Family Care screen to determine whether the person meets <u>functional eligibility</u> for Family Care.

**If NONE of the above boxes above are checked**, the person is not eligible for Family Care. Provide her/him (or representative) with information and options regarding other health and social services, such as mental health or substance abuse treatment, Family Violence, Elder Abuse, or Adult Protective Services, and other programs and community resources. Also advise them regarding possible eligibility for Medicaid and Medicare services.

Family Care

SCREEN TYPE Check only one box

Attachment D.3.B.1.

☐ 04 Pre-Admission scree☐ 4a Nursing hom☐ 4b ICF-MR / FD	pre-admission as in box 4 kge in condition or situation en: (whether first or repeate DD (Intermediate Care Falamunity-Based Residential	below. (or by request)  t screen)  cility for MR; Facility for DD)
☐ 4e Home & Cor	nmunity-Based Waiver	
REFERRAL SOURCE: Chec	k only one box:	
<ul> <li>01 Self</li> <li>02 Family/Significant other</li> <li>03 Friend/Neighbor/Advocate</li> <li>04 Physician/ Clinic</li> <li>14 Other:</li> </ul>	<ul> <li>07 CBRF (Group Ho</li> <li>08 AFH (Adult Family</li> <li>09 RCAC (Residential</li> </ul>	e Staff  • 10 ICF-MR/FDD  • 11 State Center  me)  • 12 Home Health Agency  y Home)  • 13 Community Agency  al Care Apartment Complex)
PRIMARY SOURCE FOR SO	REEN INFORMATIO	N: Check only one box.
02 Guardian 03 Family Member 04 Spouse/Significant Other 05 Parent	name(s): 06 Child 07 Advocate 08 Case Manager 09 Hospital Staff	10 Nursing Home Staff 11 ICF-MR/Center staff 12 CBRF staff 13 AFH Staff 14 Home Health, Personal Care, or Supportive Home Care staff
<ul> <li>15 Other:</li> <li>WHERE SCREEN INTERVIEW</li> <li>01 Person's Current Residence</li> <li>02 Temporary Residence (non-ins</li> </ul>	04 Hospital	e.g. county office, Resource Center):
O3 Nursing Home  APPLICANT'S ADDRESS:		
Telephone Number: ()County of Residence: Co	unty of Responsibility:	

Family Care	Attachment D.3.B.1
MEDICAL INSURANCE: Check all	that apply. Write numbers clearly.
01 MEDICARE #	PART A • PART B • PART C
<ul> <li>02 MEDICAL ASSISTANCE #</li></ul>	
RACE / ETHNICITY:	
<ul> <li>A = Asian or Pacific Islander</li> <li>B = Black</li> <li>C = Caucasian (white/non-hispanic)</li> <li>M = Multi-racial</li> </ul>	<ul> <li>H = Hispanic</li> <li>I = American Indian or Alaskan Native</li> <li>X = Other:</li> </ul>
□ AN INTERPRETER IS REQUIRED. If so	, in what language?
<ul><li>01 American Sign Language</li><li>02 Spanish</li><li>03 Vietnamese</li></ul>	<ul> <li>04 Hmong</li> <li>05 Russian</li> <li>06 Other:</li> <li>07 A Native American</li> <li>Language</li> </ul>
☐ PERSON HAS A LEGAL "GUARDIAN C	OF PERSON":
Name:	Phone #
Address:	
City:State:	Zip:
Comments:	
- DEDCON HAC AN ACTIVATED DOWE	OF ATTORNEY FOR HEALTH CARE.
PERSON HAS AN ACTIVATED POWER	R OF ATTORNEY FOR HEALTH CARE:
Name:	Phone #
Address:	
City:State:	Zip:

CURRENT	USUAL RESIDENCE: Indicate person's usual place of residence. Check ONLY one box.
OWN HOME	1. Alone (Includes person living alone who receives in-home services.)
OR APARTMENT	2. With spouse/ partner/ family
ALAKTIMENT	3. With non-relatives/ roommates
	4. With live-in paid caregiver(s). (Includes service in exchange for room & board.)
SOMEONE	• 5. Family
ELSE'S HOME OR	6. Non-relative
APARTMENT	Paid caregiver's home (E.g., 1-2 bed adult family home, or child foster care)
	8. Home/ apartment for which lease is held by support services provider.
APARTMENT	Residential Care Apartment Complex
WITH SERVICES	10. Independent Apartment CBRF (Community-Based Residential Facility)
GROUP	11. Licensed Adult Family Home (3 - 4 bed AFH)
RESIDENTIAL CARE	• 12. CBRF
SETTING	13. Children's Group Home
HEALTH	14. Nursing Home
CARE FACILITY/	15. FDD/ ICF- MR
INSTITUTION	16. DD Center/ State institution for developmental disabilities
	17. Mental Health Institute/ State psychiatric institution
	• 18. Other IMD
	19. Child Caring Institution
NO HOME	20. No Permanent Residence (E.g., is in homeless shelter, etc.)

**1. Where would this person <u>like</u> to live?** Record the <u>person</u> 's <u>preference</u>, not what is deemed realistic (safe, cost-effective, etc.), and not what the family/guardian want.

- □ 1. Stay at current residence.
- □ 2. Move to own home/apartment. (Includes living with spouse/family, roommates, 1-2 bed AFH.)
- □ 3. Move to an apartment with onsite services (RCAC, independent apartment CBRF).
- □ 4. Move to a group residential care setting (CBRF, licensed 3-4 bed AFH).
- □ 5. Move to a nursing home or other health care facility (ICF-MR, State Center, IMD).
- 6. Wants to move, but not sure where.

21. Specify:

□ 7. Unsure, or unable to determine.

#### 2. What is the <u>guardian's/family's</u> preference for living arrangement for this individual?

0. Not Applicable

OTHER

- □ 1. Stay at current residence.
- □ 2. Move to own home/apartment (Includes living with spouse/family, roommates, 1-2 bed AFH).
- □ 3. Move to an apartment with onsite services (RCAC, independent apartment CBRF).
- □ 4. Move to a group residential care setting (CBRF, licensed 3-4 bed AFH).
- □ 5. Move to a nursing home or other health care facility (ICFMR, State Center, IMD).
- □ 6. Wants to move, but not sure where.
- 7. Unsure, or unable to determine.
- 8. No consensus among multiple parties.

# Module II: ADLs and IADLs

### **DETAILS OF LEVEL OF HELP NEEDED TO COMPLETE TASK SAFELY:**

0	Person is independent in completing the activity safely.
1	Help is needed to complete task safely but helper DOES NOT have to be physically present throughout the task.  "Help" can be supervision, cueing, or hands-on assistance.
2	Help is needed to complete task safely and helper DOES need to be present throughout task. Help can be supervision, cueing, and/or hands-on assistance (partial or complete).

### CODING FOR WHO WILL HELP IN NEXT 8 WEEKS: Check all that apply.

U	Unpaid caregiver will continue without problems (has been doing adequately and is able and willing to continue doing).
PP	Current privately paid caregiver will continue.
PF	Current publicly funded paid caregiver will continue.
N	Need to find new or additional caregiver(s).

ADLs (Activities of Daily Living)	Help Needed Check only one	Who Will Help in Next 8 weeks Check all that apply
<b>BATHING</b> The ability to shower, bathe or take sponge baths for the purpose of maintaining adequate hygiene. This also includes the ability to get in and out of the tub, turn faucets on & off, regulate water temperature, wash and dry fully.  ÿ HAS SHOWER CHAIR, TUB BENCH, OR GRAB BARS	□ 0 □ 1 □ 2	<ul><li>□ U</li><li>□ PP</li><li>□ PF</li><li>□ N</li></ul>
<b>DRESSING</b> The ability to dress and undress as necessary and choose appropriate clothing. Includes the ability to put on prostheses, braces, antiembolism hose (e.g., "TED stockings") or assistive devices, and includes fine motor coordination for buttons and zippers. ( <i>Includes choice of clothing appropriate for the weather. Difficulties with a zipper or buttons at the back</i> of a dress or blouse do not constitute a functional deficit.)	□ 0 □ 1 □ 2	□ U □ PP □ PF □ N
<b>EATING</b> The ability to eat and drink using routine or adaptive utensils. This also includes the ability to cut, chew, and swallow food. <i>Note: If person is fed via tube feedings or intravenous, check box 0 if they can do themselves, or box 1 or 2 if they require another person to assist.</i>	□ 0 □ 1 □ 2	□ U □ PP □ PF □ N
MOBILITY IN HOME The ability to move between locations in the individual's living environment—defined as kitchen, living room, bathroom, and sleeping area. For purposes of the functional screen, this excludes basements, attics and yards.  UNALKER FOR USE IN HOME UNHEELCHAIR OR SCOOTER FOR USE IN HOME UNHAS PROSTHESIS	□ 0 □ 1 □ 2	□ U □ PP □ PF □ N

ADLs (Activities of Daily Living)	Help Needed Check only one	Who Will Help in Next 8 weeks Check all that apply
TOILETING The ability to use the toilet, commode, bedpan, or urinal. This includes transferring on/off the toilet, cleansing of self, changing of pads, managing an ostomy or catheter, and adjusting clothes.  USES COMMODE  HAS OSTOMY USES URINARY CATHETER  RECEIVES REGULAR BOWEL PROGRAM REGULARLY WEARS INCONTINENCE PRODUCTS	□ 0 □ 1 □ 2	<ul><li>□ U</li><li>□ PP</li><li>□ PF</li><li>□ N</li></ul>
TRANSFERRING The physical ability to move between surfaces: from bed/chair to wheelchair, walker or standing position. The ability to get in and out of bed or usual sleeping place. The ability to use assistive devices for transfers.  □ USES MECHANICAL LIFT (not a lift chair) □ USES TRANSFER BOARD OR TRAPEZE	□ 0 □ 1 □ 2	□ U □ PP □ PF □ N

## IADLS – INSTRUMENTAL ACTIVITIES OF DAILY LIVING

#### DEFINITIONS OF IADLS

**MEAL PREPARATION:** The ability to obtain and prepare routine meals. This includes the ability to independently open containers and use kitchen appliances, with assistive devices if uses them. *If the person is fed via tube feedings or intravenous, treat preparation of the tube feeding as "meal prep," and indicate level of help needed.* 

**MONEY MANAGEMENT:** The ability to handle money, pay bills, plan, budget, write checks or money orders, exchange currency, handle coins and paper work, i.e., to do financial management for basic necessities (food, clothing, shelter).

**TELEPHONE:** The ability to dial, answer, and use phone, with assistive devices if uses them.

### CODING FOR WHO WILL HELP IN NEXT 8 WEEKS: Check all that apply.

U	Unpaid caregiver will continue without problems (has been doing adequately and is able and willing to continue doing).
PP	Current privately paid caregiver will continue.
PF	Current publicly funded paid caregiver will continue.
N	Need to find new or additional caregiver(s).

IADL	Level of Help Needed	Who will help in next 8 wks?
MEAL PREPA- RATION	<ul> <li>0. Independent</li> <li>1. Needs help from another person weekly or less often.</li> <li>2. Needs help 2 to 6 times a week to prepare or help with meal preparation or provide meals.</li> <li>3. Needs help to provide, prepare or help prepare every meal.</li> </ul>	□ U □ PP □ PF □ N
MANAGE- MENT OF MEDS &/OR TREAT- MENTS	<ul> <li>O. Independent (with or without assistive devices).</li> <li>1. Limited assistance required. Person is able to take meds/perform treatments once they've been set up or otherwise infrequently assisted. <i>Includes having someone set up meds (e.g., in blister packs or med box) or pre-filling syringes</i>.</li> <li>2. Frequent physical assistance needed, but person CAN DIRECT the task, and can make decisions regarding each med or treatment (e.g., physically disabled person that can direct their own care).</li> <li>3. Person is cognitively unable to follow through without another person to administer each med or treatment.</li> <li>N.A.—Person on no meds or health care treatments.</li> </ul>	<ul> <li>□ U</li> <li>□ PP</li> <li>□ PF</li> <li>□ N</li> </ul>
MONEY MANAGE- MENT	<ul> <li>0. Independent.</li> <li>1. Needs intermittent help from another person.</li> <li>2. Needs help from another person with every transaction.</li> </ul>	□ U □ PP □ PF □ N
LAUNDRY &/OR CHORES	<ul> <li>□ 0. Independent</li> <li>□ 1. Needs help from another person weekly or less often.</li> <li>□ 2. Needs help more than once a week.</li> </ul> Chores = Housekeeping, home maintenance, shoveling, etc.	□ U □ PP □ PF □ N
TELE- PHONE	<ul> <li>1. Ability to Use Phone:</li> <li>□ 1a. Independent. Has cognitive and physical abilities to make calls and (with assistive devices currently used by this person).</li> <li>□ 1b. Lacks cognitive or physical abilities to use phone independently.</li> <li>2. Access to Phone:</li> <li>□ 2a. Currently has working telephone or access to one.</li> <li>□ 2b. Has no phone and no access to phone.</li> </ul>	answer calls
TRANS- PORTA- TION	<ul> <li>1. Person drives:  <ul> <li>1a. Person drives regular vehicle.</li> <li>1b. Person drives adapted vehicle.</li> </ul> </li> <li>May also check to indicate if appropriate:  <ul> <li>1c. Person drives but there are serious safety concerns.</li> </ul> </li> <li>2. Person can not drive due to physical or cognitive impairment. (Inc. who cannot get a drivers' license due to medical problems (e.g., seizures)</li> <li>3. Person does not drive due to other reasons. (E.g., has no license, be physical or cognitive impairment, or has no car.)</li> </ul>	s, poor vision).

**EMPLOYMENT:** The ability to function at a job site. This question concerns the need for employment-related assistance. Since the need for help with ADLs and IADLs is captured in other sections, this question essentially covers job coach duties.

A. EMPLOYMENT STATUS	<ul> <li>1. Employed</li> <li>2. Not employed or under-employed and interested in new job.</li> <li>3. Retired, or not employed and not interested in employment.</li> </ul>
B. IF EMPLOYED, WHERE	<ul> <li>1. Attends pre-vocational day activity/ work activity program.</li> <li>2. Attends sheltered workshop.</li> <li>3. Has a paid job in the community.</li> <li>4. Works at home.</li> </ul>
C. NEED FOR ASSISTANCE TO WORK (OPTIONAL FOR UNEMPLOYED PERSONS)	<ul> <li>0. Independent (with assistive devices if uses them).</li> <li>1. Needs resource person available if problems arise (e.g., emotional difficulties), but does not need someone most of the time.</li> <li>2. Needs intermittent reminders or physical assistance, but does not need continuous presence of another.</li> <li>3. Needs the continuous presence of another person</li> </ul>

### DOES PERSON REQUIRE OVERNIGHT CARE OR SUPERVISION?

- □ 0. No.
- ☐ 1. Yes; caregiver can get at least 6 hours of uninterrupted sleep per night.
- ☐ 2. Yes; caregiver cannot get at least 6 hours of uninterrupted sleep per night.

Wisconsin Att. D.3.B.1. – 8 February 2001

## **MODULE III A: DIAGNOSES**

**Diagnoses:** Check diagnosis here if (1) it is provided by a health care provider, or (2) you see it written in a medical record (including hospital discharge forms, nursing home admission forms, etc.), or (3) if person or informant can state them **EXACTLY** -- except for psychiatric diagnoses, which must be confirmed by health care personnel or records. Do not try to interpret people's complaints or medical histories. Contact health providers instead.

A DEVELODMENTAL DICADILITY	D Danstrais Other then Crinel Cond Injury
A. DEVELOPMENTAL DISABILITY	□ 8 Paralysis Other than Spinal Cord Injury
☐ 1 Mental Retardation	□ 9 Other Neurological or Neuro-Motor Disorders
☐ 2 Autism	(includes migraines, severe headaches)
☐ 3 Brain Injury with onset before age 22	□ 10 Spina bifida
☐ 4 Cerebral Palsy	☐ 11 Seizure Disorder with onset after age 22
☐ 5 Prader-Willy Syndrome	F. RESPIRATORY
☐ 6 Seizure Disorder with onset before age 22	☐ 1 Asthma/ Chronic Obstructive Pulmonary
☐ 7 Otherwise meets state or federal definitions of DD	Disease (COPD) / Emphysema/ Chronic Bronchitis
B. ENDOCRINE / METABOLIC	☐ 2 Pneumonia/ Acute Bronchitis/ Influenza
☐ 1 Diabetes Mellitus	☐ 3 Tracheostomy
☐ 2 Hypothyroidism / Hyperthyroidism	☐ 4 Ventilator Dependent
☐ 3 Nutritional Deficiencies/ Dehydration/	☐ 5 Other Respiratory Condition
Fluid & Electrolyte Imbalances	G. DISORDERS OF GENITOURINARY
☐ 4 Liver Disease (Hepatic Failure, Cirrhosis)	SYSTEM / REPRODUCTIVE SYSTEM
☐ 5 Other Disorders of Digestive System	☐ 1 Renal Failure, other kidney disease
(Mouth, Esophagus, Stomach, Intestines, Gall	☐ 2 Other disorders of GU system ( <i>bladder</i> ,
Bladder, Pancreas)	ureters, urethra)
☐ 6 Other disorders of hormonal or metabolic system	☐ 3 Disorders of reproductive system
C. HEART / CIRCULATION	H. <u>DOCUMENTED</u> MENTAL ILLNESS
☐ 1 Anemia/Coagulation Defects/ Other Blood Diseases	☐ 1 Anxiety Disorder (phobias, post- traumatic
☐ 2 Angina / Coronary Artery Disease /	stress disorder, obsessive-compulsive disorder)
Myocardial Infarction (M.I.)	☐ 2 Bipolar / Manic-Depressive
☐ 3 Disorders of heart rate or rhythm	□ 3 Depression
☐ 4 Congestive Heart Failure ( <i>CHF</i> )	☐ 4 Schizophrenia
☐ 5 Disorders of Blood Vessels or Lymphatic System	☐ 5 Other <b>Psychiatric</b> diagnosis / Personality Disorder
$\Box$ 6 Hypertension (HTN) (high blood pressure)	I. SENSORY
☐ 7 Hypotension (low blood pressure)	
☐ 8 Other heart conditions (including valve disorders)	
D. MUSCULOSKELETAL	☐ 3 Other sensory disorders
☐ 1 Amputation	J. INFECTIONS/ IMMUNE SYSTEM
☐ 2 Arthritis	□ 1 Allergies
☐ 3 Hip Fracture/ Replacement	☐ 2 Cancer in past 5 years
☐ 4 Other Fracture/ Joint Disorders	☐ 3 Diseases of Skin
☐ 5 Osteoporosis / Other bone disease/ Scoliosis/	☐ 4 HIV – Positive
Kyphosis/ Spinal Disorders (including back pain)	
☐ 6 Contractures / Connective Tissue Disorders	☐ 5 AIDS Diagnosed
E. NEUROLOGICAL/ NEUROMUSCULAR	☐ 6 Other Infectious Disease
☐ 1 Alzheimer's Disease	☐ 7 Auto-Immune Disease (besides rheumatism)
☐ 2 Other <u>irreversible</u> dementia	K. OTHER
☐ 3 Cerebral Vascular Accident (CVA, stroke)	☐ 1 Alcohol or Drug Abuse
☐ 4 Traumatic Brain Injury <b>AFTER age 22</b>	☐ 2 Behavioral Diagnoses (not found in Part H above)
☐ 5 Multiple Sclerosis/ ALS	$\Box$ 3 Terminal Illness (prognosis $\leq$ 12 months)
☐ 6 Muscular Dystrophy	☐ 4 Wound/ Burn/ Bedsore/ Pressure Ulcer
☐ 7 Spinal Cord Injury	□ 5 OTHER:

MODULE III Part B: HEALTH-RELATED SERVICES: Check only one box per row.

HEALTH-RELATED SERVICES NEEDED	PERSON IS INDE- PEN- DENT	FREQUENCY OF HELP/SERVICES NEEDED FROM OTHER PERSONS					
TILALTIFICLATED SERVICES NEEDED		Weekly or less often	2 to 6 days/ week	1 to 2 times a day	3 to 4 times a day	Over 4 times a day	
INTERVENTIONS related to BEHAVIORS							
CONDITION REQUIRES NURSING ASSESSMENT or skilled medical monitoring by persons trained and overseen by nurse. Condition may be unstable or deteriorating (e.g., infections, gangrene, dehydration, malnutrition, terminal condition, exacerbation, AIDS, etc.), and/or result from multiple health risks in person unable to manage them or to communicate problems.							
IV CHEMOTHERAPY							
IV FLUIDS							
IV PLOIDS  IV MEDICATIONS (DRIPS OR BOLUSES not chemotherapy)							
MEDICATION ADMINISTRATION (not IV) OR							
ASSISTANCE with pre-selected or set-up meds.							
MEDICATION MANAGEMENT – SET-UP &/or MONITORING (for effects, side effects, adjustments) & / OR BLOOD LEVELS							
OSTOMY-RELATED SKILLED SERVICES							
OXYGEN							
PAIN MANAGEMENT							
POSITIONING IN BED OR CHAIR every 2-3 hours							
RESPIRATORY THERAPY: NEBULIZERS, IPPB TREATMENTS, BI-PAP, C-PAP; (does NOT include inhalers)							
IN-HOME DIALYSIS							
TPN (TOTAL PARENTERAL NUTRITION)							
TRANSFUSIONS							
TRACHEOSTOMY CARE							
TUBE FEEDINGS							
ULCER –STAGE 2							
ULCER—STAGE 3 OR 4							
URINARY CATHETER-RELATED <u>SKILLED</u> TASKS (irrigation, straight caths)							
OTHER <b>WOUND</b> CARES (NOT CATH SITES, OSTOMY SITES, OR IVs)							
VENTILATOR-RELATED INTERVENTIONS							
OTHER: write in:							
SKILLED THERAPIES – PT, OT, ST (Any one or a combination, at any loc		5+0	days/week	1 to 4	days/weel	k	
	. ,						

#### Coding for who will help with all health-related needs in next 8 weeks (check all that apply):

U - Unpaid caregiver will continue without problems (has been doing adequately and is	s able and	willing to
continue doing).		

_						***	
	PP-	(::::rrent	nrivate	naid	caregiver	W/III	CONTINUE

PP- Current private paid caregiver will continue.PF- Current public paid caregiver will continue.

<sup>□</sup> N - Need to find new (or additional) caregiver.

# MODULE IV: COMMUNICATION AND COGNITION

$\sim$	$\mathbf{R}\mathbf{A}\mathbf{R}\mathbf{A}$		$\cap$ $\wedge$ $\top$	IANI.
CU	IVI IVI	UNI	CAT	IUN.

☐ 2 – Unknown

COMMONICATION.
Includes the ability to express oneself in one's own language: including non-English languages and American Sign Language (ASL) (or other generally recognized non-verbal communication). This includes the use of assistive technology.
<ul> <li>No impairment or only minor impairment (e.g., slow speech).</li> <li>Is able to fully communicate with the use of assistive device.</li> <li>Is able to communicate basic needs to others (may include gestures)</li> <li>No effective communication.</li> </ul>
MEMORY:
<ul> <li>0 – No memory impairments evident during screening process.</li> <li>1 Short Term Memory Loss (seems unable to recall things a few minutes later).</li> <li>2 – Unable to remember things over several days or weeks.</li> <li>3 - Long term Memory Loss (seems unable to recall distant past).</li> </ul>
COGNITION FOR DAILY DECISION MAKING:
(BEYOND MEDICATIONS AND FINANCES, which are captured elsewhere.)
<ul> <li>0 - INDEPENDENT - Person can make decisions that are generally consistent with her/his own lifestyle, values, and goals (not necessarily with professionals' values and goals.)</li> </ul>
□ 1. – Person can make safe decisions in familiar/routine situations, but needs some help with decision-making when faced with new tasks or situations.
2 Person needs help with reminding, planning, or adjusting routine, even with familiar routine. Person is safe alone for at least 4 hours at a time, but could not handle problems that arise.
☐ 3 Severe impairment; needs help from another person most or all of the time. Unsafe alone due to cognitive impairments.
PHYSICALLY RESISTIVE TO CARE:
□ □ 0 - No.
□ 1 – Yes, person is physically resistive to cares due to a cognitive impairment.

Wisconsin Att D 3 B 1 – 11 February 2001

# MODULE V: BEHAVIORS/MENTAL HEALTH

wit	hou e to	Defined as a person with cognitive impairments leaving residence/immediate area at informing others. (Person may still exhibit wandering behavior even if elopement is impossible of for example, facility security systems.)  1 Does not wander.  2 Wanders at night or day and night.
bo	dy. ect	Examples include physical self-abuse (hitting, biting, head banging etc.), pica (eating inedible s), and water intoxication (polydipsia).  O No injurious behaviors demonstrated.  Some self-injurious behaviors which require occasional monitoring on a weekly or less frequent basis.  Self-injurious behaviors which require oversight every day, but not always one-on-one.  Self-injurious behaviors which require intensive one-on-one attention almost every waking hour.
	tres	ENSIVE OR VIOLENT BEHAVIOR TO OTHERS:  Behavior that causes pain or st to others or interferes with activities of others.  No offensive or violent behaviors demonstrated.  Some offensive or violent behaviors which require occasional monitoring weekly or less.  Offensive or violent behaviors which require oversight every day, but not always one-on-one.  Offensive or violent behaviors that require intensive one-on-one attention most awake hours.
<u>M</u>	<u>EN</u>	ITAL HEALTH NEEDS:
		0 No mental health problems or needs evident (i.e., no current diagnosis of mental illness and/or no symptoms that may be indicative of mental illness; not on any medications for psychiatric diagnosis, and not under current psychiatric treatment.) 1 Person may be at risk and in need of some mental health services. Examples could include symptoms or reports of problems that may related to mental illness, or requests for help by the person or family/advocates, or risk factors for mental illness. (Examples of risk factors: symptoms of clinical depression that have lasted more than 2 weeks and/or interfere with daily life; recent trauma or loss.) 2 Person has a current diagnosis of a major mental illness and is currently stable (with or
		without medications). "Stable" here means the person is functioning well with routine periodic oversight/ support, and is currently receiving such oversight/ support.  3 Person has a current diagnosis of a major mental illness, and/or is currently not stable.  Needs intensive mental health services (whether they're currently getting them or not, they need them.)
<u>Sl</u>	JB	STANCE ABUSE: More than one box may be checked if appropriate.
		<ul> <li>0 No active substance abuse problems evident at this time.</li> <li>1 Person or others indicate(s) a current problem, or evidence suggests possibility of a current problem or high likelihood of recurrence without significant on-going support or interventions.</li> <li>2 In the past year, the person has had significant problems due to substance abuse.</li> <li>(Examples: police interventions, detox, inpatient treatment, job loss, major life changes.)</li> </ul>

# **MODULE VI: RISK**

PART A- CURRENT APS OR EAN CLIENT:						
☐ A1. Person is known to be a current client of Adult Protective Services (APS).						
□ A2. Person is currently being served by the lead Elder Abuse and Neglect (EAN) agency.  (Refer to local APS unit to determine whether this EAN client has current APS needs for eligibility purposes.)						
PART B - RISK EVIDENT DURING SCREENIN	G PROCESS: Che	ck any that apply.				
☐ 0. No risk factors or evidence of abuse or neglec	t apparent at this tin	ne.				
<ul> <li>The individual is currently failing or is at high risk of failing to obtain nutrition, self-care, or safety adequate to avoid significant negative health outcomes.</li> </ul>						
<ul><li>2. The person is at imminent risk of institutionalized assistance.</li></ul>	ation if s/he does no	t received needed				
□ 3. There are statements of or evidence of possible abuse, neglect, self-neglect, or financial exploitation.  If yes: □ Referring to APS and/or EAN now. □ Not referring at this time, because competent adult refuses to allow referral.  Comments:						
? 4. The person's support network appears to be <u>adequate at this time</u> , but <u>may be</u> fragile <u>in near future</u> (within next 4 months).						
Is as a second still the few Over distributions into Few	H. Oana (non com	-41:-4\01				
Is person eligible for Grandfathering into Fam ☐ Yes ☐ No	lly Care (per coul	nty list)?				
SCREENER FOR ALL PRECEDING CLINICAL MODULES: DATE CLINICAL MODULES COMPLETED:						
TIME TO COMPLETE THIS PART OF SCREEN: In 15-minute increments (0, 15, 30, or 45)						
FACE-TO-FACE CONTACT WITH THE PERSON:  (This can include an in-person interview, or observation if person cannot participate in interview.)	HrsMins	TOTAL TIME TO COMPLETE CLINICAL				
COLLATERAL CONTACTS:  (Either in-person or indirect contact with any other people, including family, advocates, providers, etc.)	HrsMins	(NOT FINANCIAL) PART OF SCREEN:				
PAPER WORK:  (Includes review of medical documents, COP assessment, etc.)	HrsMins	HrsMins				
TRAVEL TIME:	HrsMins					

### **Definitions for Long Term Care and Target Group Question**

"Infirmities of aging" means organic brain damage caused by advanced age or other physical degeneration in connection therewith to the extent that the person so afflicted is substantially impaired in his or her ability to adequately provide for his or her care or custody" (WI Statutes 55. 01(3)).

"Dementia" means Alzheimers' disease and other related irreversible dementias involving adegenerative disease of the central nervous system characterized especially by premature senile mental deterioration and also includes any other irreversible deterioration of intellectual faculties with concomitant emotional disturbance resulting from organic brain disorder (WI Statues 46.87(1)(a)).

"Physical disability" means a physical condition, including an anatomical loss or musculoskeletal, neurological, respiratory or cardiovascular impairment, which results from injury, disease or congenital disorder and which significantly interferes with or significantly limits at least one major life activity of a person" (WI Statutes 15.197(4)(a) 2).

"Major life activity" means any of the following: A. Self-care. B. Performance of manual tasks unrelated to gainful employment. C. Walking, D. Receptive and expressive language, E. Breathing, F. Working, G. Participating in educational programs, H. Mobility, other than walking. I. Capacity for independent living." (WI Statutes 15.197(4)(a)1).

FEDERAL DEFINITION OF DEVELOPMENTAL DISABILITY: A person is considered to have mental retardation if he or she has – (I) A level of retardation described in the American Association on Mental Retardation's Manual on Classification in Mental Retardation, or (ii) A related condition as defined by 42 CFR 425.1009 which states, "Person with related conditions" means individuals who have a severe, chronic disability that meets all of the following conditions:

- (a) It is attributable to—
  - (1) Cerebral palsy or epilepsy or
  - (2) Any other condition, other than mental illness, found to be closely related to mental retardation because this condition results in impairment of general intellectual functioning or adaptive behavior similar to that of mentally retarded persons, and requires treatment or services similar to those required for these persons.
- (b) It is manifested before the person reaches age 22
- (c) It is likely to continue indefinitely
- (d) It results in substantial functional limitations in three or more of the following areas of major like activity: Self-care; Understanding and use of language; learning; mobility; self-direction; or capacity for independent living.

STATE DEFINITION OF DEVELOPMENTAL DISABILITY: "Developmental disability" means a disability attributable to brain injury, cerebral palsy, epilepsy, autism, Prader-Willi syndrome, mental retardation, or another neurological condition closely related to mental retardation or requiring treatment similar to that required for mental retardation, which has continued or can be expected to continue indefinitely and constitutes a substantial handicap to the afflicted individual. 'Developmental disability' does not include senility which is primarily caused by the process of aging or the infirmities of aging" (WI Statutes 51.01(5)(a)).

<sup>&</sup>lt;sup>1</sup> The State has made a commitment to consumers that persons who have been receiving publicly-funded LTC services for at least 60 days through distinct State programs that are now subsumed under Family Care functional level of care eligibility requirements will be "grandfathered" into Familoy Care. Pilot counties are required to prepare a list of individuals eligible for such granfathering 60 days prior to the time they begin providing FC services. Services provided to such individuals will be paid for with State-only funds (no FFP claimed) unless or until such time as they do meet regular functional level of care requirements